

Cordless Fan Jacket
DFJ206 / DFJ207 / DFJ304
DFJ305 / DFJ405 / DFJ407



Two Fan units cool you down efficiently and wi



Flat Fan units do not disturb your operation.



Two Fan units are separately positioned:

to produce effective cooling air flow.not to bother you when you sit back.

Available in 3 types for different applications

Jacket + Fan



Breathable and water repellent



Cotton



Durable and water absorbing



Titanium-coated polyester




UV and IR reflective



th more comfort.

Powerful Fan units provide optimum air flow for efficient sweat evaporation.



Battery holder Powered by Makita Li-ion Battery

Optional accessory
















Makita





Battery and charger are sold separatel

Air flow control panel



Air flow mode indicator

Power ON/OFF & Cooling air volume control (3stages)


Each time you push the button High/ Medium/ Low are selectable and displayed on the mode indicator.

Turbo button

When Turbo button is pushed, air flow can be increased for about 1 minute. (After 1 minute, the air level comes back to normal mode.)

Belt clip with lock

Thanks to Belt clip with lock, battery is securely held. (This feature is available only for 14.4V/18V battery holder.)



• Type A DC5V-2.1A

- Single port
- With rubber cap

Button for unlocking





USB output switch Slide switch enables USB apparatus to operate.

Features

Drop prevention loops

for Fan units



Foldable sleeves

can be folded and buttoned into short sleeves



Mesh pockets

are provided on the back of the jacket for storing ice packs.



Shoulder pads

Shoulders are double layered for added durability against such damage as caused by rebars/scaffold materials carried on the shoulder. (DFJ405, DFJ407 only)



Loops for attaching safety pin

Safety pin can be attached without pin holes in the jacket.

(located on the left chest and left upper arm)



Enhanced flap of battery pocket

uses two loop-and-button closures instead of a hook-and-loop fastener.



Optional Frame to ensure air inlet

By attaching Frame to Fan unit, you can make enough space between the jacket and layered raincoat/safety vest.



Hood with mesh ear design


makes hearing easier. (DFJ207/ DFJ305/ DFJ407)



Longer continuous run time on a single full battery charge

Battery holder	Li-ion Battery		Continuous run time Low / Medium / High
<u>CXT</u>	12V max	1.5Ah BL1016	6.5 / 4.5 / 2.5h
12V/max [HATHURHOR]		4.0Ah BL1041B	17 / 11.5 / 6h
LXT.	14.4V	6.0Ah BL1460B	27.5 / 18.5/ 10.5h
	18V	6.0Ah BL1860B	40 / 26.5 / 18.5h


■ Battery & Charger



Accessories

Filter set

Attaching a filter to Fan unit prevents the dust invasion into jacket at work site.



Frame Filter (non-woven) 20pcs. set



	Part No.
Filter set	198642-3
Filter 20pcs. set	198644-9
Frame	457924-5

Cordless Fan Jacket

DFJ206/ DFJ207/ DFJ304/ DFJ305/ DFJ405/ DFJ407

with BL1860B Low / Medium / High: 40 / 26.5 / 18.5 Run Time (hr) Air Flow Settings Air Flow Turbo / High / Medium / Low Turbo / High / Medium / Low: 2.1 / 1.9 / 1.5 / 1.3 m³/min Electronic S/M/L/XL/2XL/3XL 4-Speed **Pockets** DFJ206: 360 g (0.8 lbs.), DFJ207: 380 g (0.8 lbs.) Net weight DFJ304: 460 g (1.0 lbs.), DFJ305: 490 g (1.1 lbs.) DFJ405: 440 g (1.0 lbs.), DFJ407: 460 g (1.0 lbs.)

Battery & Charger Sold Separately. Net weight: Jacket size $L + \mathsf{Fan}$

weight according to EPTA-Procedure 01/2014 Items of standard equipment and specifications may vary by country or area.

Makita Corporation